

**ALWAYS
BE ON
THE
SAFER
SIDE**
»»»»»



SAFETY WEARS

Borderless Safety Solutions

www.borderppe.ae



**YOUR
SAFETY
IS OUR
PRIORITY**




CONTENTS




Coverall



Safety Shoes




Safety Gloves




**Head, Face &
Ear Safety**



Traffic Safety



Safety Vest



Fall Protection



Fire Safety



ABOUT BORDER

Border Safety Wears is an internationally recognized brand that delivers safety aids. With products that ensure unparalleled quality by abiding by global standards, we have set a benchmark in the market when it comes to securing the lives of construction workers.

Our wide array of safety aids range from coveralls to safety glasses and includes safety equipment like shoes, helmets, gloves, vests, fire protection, fences, traffic safety and more. All our products are double checked for their quality and come with a guarantee to withstand the toughest conditions.

Made out of the finest materials to assure comfort to the workers, Border provides a 360 degree protection when safety is at stake.

The quality of products and relentless commitment towards safeguarding valuable lives has earned us a number of loyal customers in the construction field, who trust us immensely. Putting the objective of 'safety first' into practice, Border is proud to serve all the major corporates across the Middle East.







COVERALL



***SAFETY FIRST,
TAKES CARE
OF THE REST***





SUPREME COVERALL

COVERALL | BSC0800

100% COTTON

- 100% Super Fine Cotton Fabric
- 210 – 220 GSM
- Mercerized & Sanforized
- Plastic Zipper

Features:

- 2 chest pocket left one is with flap cover with stud button closure
- Long sleeves
- 2 side cross pocket
- 2 back hip pocket
- 1 Tool pocket on the right leg
- 1 pen pocket on sleeve
- Elasticized waist belt at backside

Size Available: S – 6XL

Colours Available:

■ Petrol Blue ■ Orange
■ Dark Blue ■ Red □ White ■ Yellow
■ Green ■ Beige ■ Grey

Origin: Pakistan



SUPREME WORK SUIT

WORK SUIT | BSS 0900

100% COTTON

- 100% Super Fine Cotton Fabric
- 210 – 220 GSM
- Mercerized & Sanforized

Features:

Shirt:

- 2 chest pocket with flap cover with plastic button closure
- Long sleeves with cuff

Pant:

- 2 side cross pocket
- 2 back hip pocket
- Elasticized waist belt at backside

Size Available: S – 6XL

Colours Available: ■ Petrol Blue ■ Dark Blue ■ Red
■ Orange ■ Yellow ■ Green ■ Beige ■ Grey

Origin: Pakistan



ECONOMY COVERALL

COVERALL | BEC0600

100% COTTON

- 100% Super Fine Cotton Fabric
- 210 – 220 GSM
- Mercerized & Non Sanforized
- Plastic Zipper

Features:

- 2 chest pocket without flap cover
- Long sleeves
- 2 side cross pocket
- 1 back hip pocket
- Elasticized waist belt at backside

Size Available: S – 5XL

Colours Available: ■ Petrol Blue ■ Beige

Origin: Pakistan



ECONOMY WORK SUIT

WORK SUIT | BES0700

100% COTTON

- 100% Super Fine Cotton Fabric
- 210 – 220 GSM
- Mercerized & Non Sanforized

Features:

Shirt:

- 2 chest pocket with flap cover
- Long sleeves with cuff, plastic button closure

Pant:

- 2 side cross pocket
- 1 back hip pocket
- Elasticized waist belt at backside

Size Available: S – 5XL

Colours Available: ■ Petrol Blue ■ Beige

Origin: Pakistan



**INDUSTRIAL
WORK WEAR**
Personal Protective Equipment



PREMIER COVERALL

PREMIER COVERALL | BSW 1000

100% COTTON

- 100% Excellent Cotton Fibre
- 240 GSM
- Mercerized & Sanforized
- No shrinking & No color fading
- Metal Zipper

Features:

- 2 chest pockets, 1 with flap cover on left pocket with stud button closure
- 2 side cross pockets & 2 back hip pockets
- 1 tool's pocket & 1 pen pocket on the left sleeve
- Concealed Elastic Waist on backside
- Snap Button & Strong Flat Closure
- Reflective tape: 2" in 6 spots

Sizes Available: S – 6XL

Colours Available: ■ Petrol Blue ■ Dark Blue ■ Red

■ Orange ■ Grey

Origin: Pakistan



PREMIER WORK SUIT

PREMIER WORK SUIT | BSW 1001

100% COTTON

- 100% Excellent Cotton Fibre
- 240 GSM
- Mercerized & Sanforized
- No shrinking & No color fading

Features:

Shirt:

- 2 chest pocket with flap cover & snap button closure
- Long sleeves with cuff, plastic button closure
- 2 side cross pocket
- Reflective tape: 2" in 4 spots

Pant:

- 2 side cross pocket
- 2 back hip pocket and 2 side tool pocket
- Reflective tape: 2" in 2 spots

Size Available: S – 6XL

Colours Available: ■ Petrol Blue

Origin: Pakistan



ERAGON COVERALL

COVERALL | TEC 2009

100% POLYESTER

- 135 GSM
- Mercerized & Sanforized
- 60° C fast color, cool and comfortable

Features:

- 1 chest pocket with flap cover
- Two side pockets, Two back pockets
- Long sleeves
- Elasticized waist belt at backside

Size Available:

S – 5XL

Colours Available:

■ Royal Blue

Origin: PRC



ERAGON WORK SUIT

WORK SUIT | TES 2008

100% POLYESTER

- 135 GSM
- Mercerized & Sanforized
- 60° C fast color, cool and comfortable

Features:

- 2 chest pocket with flap cover
- Long sleeves
- 60° C fast color, cool and comfortable

Shirt:

- 2 chest pocket with flap cover
- Long sleeves
- 60° C fast color, cool and comfortable

Pant:

- Two side pockets, Two back pockets
- Elasticized waist belt at backside

Size Available:

S – 6XL

Colours Available:

■ Royal Blue

Origin: PRC



ALPHA COVERALL

COVERALL | BTC 850

- 100% Twill Cotton Fabric
- 190 – 195 GSM
- Plastic Zipper

Features:

- 2 Chest pockets left pocket with flap cover with button
- Reglan sleeve shape
- Cuff adjustable by snap button
- 2 Side pockets
- 2 Back pockets right back pocket with closure with plastic button
- 2 Knee pockets closed by velcro
- Buckle in front to adjust the waist

Size Available: S – 5XL

Colors Available:

■ Petrol Blue ■ Dark Blue
■ Beige ■ Grey ■ Green
■ Orange ■ Red ■ Yellow

Origin: PRC



ALPHA PREMIUM WORK SUIT

WORK SUIT | BTS 855

- 100% Polyester twill fabric
- 190-195 GSM

Features:

- 2 Chest pockets with flap cover with snap button
- Long sleeves
- 2 Down patched pockets
- Cuff adjustable by snap button
- 2 Side pockets
- 2 Back pockets with flap
- 2 Knee pockets closed by velcro

Size Available:

S – 6XL

Colors Available:

■ Petrol Blue
■ Dark Blue ■ Beige
■ Grey ■ Green
■ Orange ■ Red ■ Yellow

Origin: PRC



TORIOX WORK SUIT

WORK SUIT | TTS 2007

100% TWILL COTTON FABRIC

- 185 GSM
- Mercerized & Sanforized
- 60° C fast color, cool and comfortable

Features:

Shirt:

- 1 chest pocket with flap cover
- Long sleeves

Pant:

- Two side pockets, Two back pockets
- Elasticized belt

Size Available: S – 5XL

Colours Available: ■ Petrol Blue

Origin: PRC



EMPERO WORK SUIT

WORK SUIT | BEPS 955

100% TWILL COTTON

- 195 GSM
- Mercerized & Sanforized
- Heavy Duty Garments

Features:

Shirt:

- Full piece front closure with zipper and Metal button.
- Patch pockets with zipper and sides.
- 2" reflective tape on each shoulder / sleeve and back.
- Two pockets at the bottom with flap and Velcro with contrast color.
- One small Pocket on the Right Sleeve with flap and Velcro
- Cuffs with button

Pant:

- Plastic zipper closure.
- Two layers insert pockets.
- Two button pockets with flap and Velcro under contrast flap & pocket.
- Attach mobile pocket with flap on left pocket.
- Two knee pockets with flap and Velcro with contrast color.
- Tool pocket on the back right leg.
- 2" reflective tape on both legs

Size Available: S – 5XL

Colours Available: ■ Dark Blue

Origin: PRC



LEMOF COVERALL

LEMOF COVERALL | BSW 1010

100% COTTON

- 100% Cotton Coverall
- 270 GSM
- YKK Brass Zipper
- Sleeves Hole & Back Yoke
- Heavy Duty Garments
- 60° C Fast Color
- Mercerized & Sanforized
- Confines to EN ISO 13688: 2013, EN ISO11611: 2015, EN ISO 11612: 2015, EN 1149-3: 2004

Sizes Available: S – 5XL

Colours Available: ■ Royal Blue

Origin: Pakistan

Features:

- Sleeves with Inside Air Exhaust Holes
- Staying Back Yoke Opening Air Exhaust
- Two Chest Pocket With YKK Zipper Closure and Flap Cover
- Two Side Cross Pockets
- Two Back Hip Pockets with Flap Cover
- One Cargo Pocket on Left Leg with Velcro Closure
- Concealed Elastic Waist on the Back Side
- Two Way YKK Brass Zipper with Stud Button Closure
- All Stress Points are Bar Tacked Reinforced
- One Inch Reflective Tape in Six Spots
- Hanging Hook on Collar





INDUSTRIAL WORK WEAR

Personal Protective Equipment

BODY PROTECTION



EXXELO COVERALL | TEC 2005

100% COTTON

- 100% cotton coverall
- 220 GSM
- 60°C fast colour, cool and comfortable
- Mercerized & sanforized
- Heavy duty garments
- Easy to wear
- Plastic Zipper

Features:

- Two chest pockets with flap cover & velcro closure
- Two side cross pockets & two back hip pockets
- One pen pocket on the left sleeve
- Concealed elastic waist on the backside
- Two way zipper with stud button closure
- All stress points are bar tacked reinforced
- Two inch reflective tape in six spots

Sizes Available: S – 5XL

Colours Available: ■ Royal Blue

Origin: PRC



EXXELO WORK SUIT | TES 2006

100% COTTON

- 220 GSM
- 60°C Fast colour, Cool and comfortable
- Mercerized & Sanforized
- Heavy duty garment
- Easy to wear

Features:

Shirt:

- 1 Chest pocket with flap cover & plastic button closure
- Long sleeves with cuff, plastic button closure

Pant:

- 2 side cross pocket
- 2 Back hip pocket with plastic button closure

Sizes Available: S – 5XL

Colours Available: ■ Royal Blue

Origin: PRC

SITE SAFETY



DISPOSABLE COVERALL

COVERALL | BDCR 2800

- 100% polypropylene fabric
- 30 GSM
- Non woven breathable

Features:

- With hood, elastic cuff & waist
- Zipper front with storm flap

Sizes Available: M – 4XL

Colour Available: □ White

Origin: PRC





SAFETY SHOES



***ENSURE SAFETY
IN EVERY STEP***





SAFETY SHOES

FOOT PROTECTION



BSW Tex Pro | BSW 0503

- Upper: PU Nubuck / Nylon
- Lining: 3D Mesh
- Outsole: EVA+Rubber
- Inner Sole: Hi-Poly
- Toe Cap: Steel
- Mid Plate: Steel
- Confines to EN ISO: EN ISO 20344: 2011 & EN ISO 20345:2011
- Standard: S1P

Sizes Available: 39 - 47

Colours Available: ■ Black

Packing: 10 PRS / Carton

Origin: PRC



FEET GUARD

BROWN | BFP 2008

BLACK | BFP 2032

- Upper: Suede Leather
- Lining: Mesh
- Outsole: EVA+Rubber
- Inner Sole: Mesh+EVA
- Toe Cap: Steel
- Mid Plate: Kevlar
- Confines to EN ISO: EN ISO 20344: 2011 & EN ISO 20345:2011
- Standard: S1P

Sizes Available: 39 - 48

Colours Available: ■ Brown ■ Black

Packing: 10 PRS / Carton

Origin: PRC



SHIELDER | BFP 2013

- Upper: Leather
- Lining: 3D Mesh
- Outsole: PU
- Inner Sole: EVA
- Toe Cap: Steel
- Mid Plate: Steel
- Confines to EN ISO: EN ISO 20344: 2011 & EN ISO 20345:2011
- Standard: S3 HRO

Sizes Available: 39 - 46

Colours Available: ■ Brown

Packing: 10 PRS / Carton

Origin: PRC



ACTIVE | BFP 2014

- Upper: Brown PU
- Lining: Brown Mesh
- Outsole: PU
- Inner Sole: Mesh+EVA
- Toe Cap: Steel
- Mid Plate: Steel
- Confines to EN ISO: EN ISO 20344: 2011 & EN ISO 20345:2011
- Standard: SBP

Sizes Available: 39 - 47

Colours Available: ■ Brown

Packing: 10 PRS / Carton

Origin: PRC

SITE SAFETY



DESIRE | BFP 2015

- Upper: Breathable leather
- Lining: Mesh
- Outsole: PU
- Inner Sole: EVA
- Toe Cap: Steel
- Mid Plate: Steel
- Confines to EN ISO:
EN ISO 20344: 2011 & EN ISO 20345:2011
- Standard: S3 HRO

Sizes Available: 39 - 47

Colours Available: ■ Black

Packing: 10 PRS / Carton

Origin: PRC



WESTER

BROWN | BSW 0507

BLACK | BSW 0508

- Upper: Micro Fibre
- Lining: Mesh
- Outsole: PU
- Inner Sole: Mesh+EVA
- Toe Cap: Composite
- Mid Plate: Kevlar
- Confines to EN ISO:
EN ISO 20344: 2011 & EN ISO 20345:2011
- Standard: S1P

Sizes Available: 38 - 47

Colours Available: ■ Brown ■ Black

Packing: 10 PRS / Carton

Origin: PRC



INSAFE

(With Lace) | BFP 2007

(Without Lace) | BFP 2009

- Upper: Micro Fibre
- Lining: Mesh
- Outsole: PU
- Inner Sole: EVA
- Toe Cap: Composite
- Mid Plate: Kevlar
- Confines to EN ISO:
EN ISO 20344: 2011 & EN ISO 20345:2011
- Standard: S3

Sizes Available: 38 - 47

Colours Available: ■ Black

Packing: 10 PRS / Carton

Origin: PRC

SIMAX | BSW 0505

- Upper: Black KPU & Yellow / Black Mesh
- Lining: Black BK Air Mesh
- Outsole: Black / Yellow Rubber
- Inner Sole: Shaped EVA Coating Mesh
- Toe Cap: Steel Toe Cap 200J
- Mid Plate: Steel Plate 1100 N
- Confines to EN ISO:
EN ISO 20344: 2011 & EN ISO 20345: 2011
- Standard: S1P

Sizes Available: 39 - 45

Colours Available: ■ Black & Yellow

Packing: 10 PRS / Carton

Origin: PRC

**BSW****BROWN | BSW 0500****BLACK | BSW 0504**

- Upper: Cow Leather
- Lining: Mesh
- Outsole: PU
- Inner Sole: EVA
- Toe Cap: Steel
- Mid Plate: Steel
- Confines to EN ISO: EN ISO 20344: 2011 & EN ISO 20345:2011
- Standard: S1P

Sizes Available: 39 - 46**Colours Available:** ■ Brown ■ Black**Packing: 10 PRS / Carton****Origin: PRC****ELEGION | BSW 0509**

- Electric Hazard protection: 18 KV
- Upper: Full Grain Nubuck Cow Leather
- Lining: Breathable Air Mesh
- Outsole: Goodyear welted Rubber
- Insole: Non-Woven
- Toe Caps: Steel
- Protective midsole: Steel Plate
- Confines to ASTM F2413-11
- Standard: SBP SRC

Sizes Available: 40-46**Colours Available:** ■ Brown**Packing: 10 PRS / Carton****Origin: PRC****RIGGER BOOT | BSW 0501**

- Upper: Cow Split Breathable Leather
- Lining: Mesh
- Outsole: PU
- Inner Sole: EVA
- Toe Cap: Steel
- Mid Plate: Steel
- Confines to EN ISO: EN ISO 20344: 2011 & EN ISO 20345:2011
- Standard: S1P

Sizes Available: 39 - 46**Colours Available:** ■ Brown**Packing: 5 PRS / Carton****Origin: PRC****RIGGER BOOT | BFP 2020**

- Upper: Cow Split Breathable Leather
- Lining: Mesh
- Outsole: PU
- Inner Sole: EVA
- Toe Cap: Steel
- Mid Plate: Steel
- Confines to EN ISO: EN ISO 20344: 2011 & EN ISO 20345:2011
- Standard: S1P

Sizes Available: 39 - 46**Colours Available:** ■ Brown**Packing: 5 PRS / Carton****Origin: PRC**



PROTEX | BFP 2018

- Upper: Cow Leather
- Lining: Mesh
- Outsole: PU/Rubber
- Inner Sole: Mesh+EVA
- Toe Cap: Steel
- Mid Plate: Steel
- Confines to EN ISO:
EN ISO 20344: 2011 & EN ISO 20345:2011
- Standard: S3

Sizes Available: 39 - 46

Colours Available: ■ Black

Packing: 10 PRS / Carton

Origin: PRC



RHINO

ANKLE | BFP 2004

- Upper: Cow Leather
- Lining: Mesh
- Outsole: PU
- Inner Sole: Mesh+EVA
- Toe Cap: Steel
- Mid Plate: Steel
- Confines to EN ISO:
EN ISO 20344: 2011 & EN ISO 20345:2011
- Standard: S1P

Sizes Available: 38 - 47

Colours Available: ■ Black

Packing: 10 PRS / Carton

Origin: PRC



INTACT

ANKLE | BFP 2010 **EXECUTIVE | BFP 2011**

- Upper: Leather
- Lining: Mesh
- Outsole: PU
- Inner Sole: EVA
- Toe Cap: Steel
- Mid Plate: Steel
- Confines to EN ISO:
EN ISO 20344: 2011 & EN ISO 20345:2011
- Standard: SBP

Sizes Available: 38 - 48

Colours Available: ■ Black

Packing: 10 PRS / Carton

Origin: PRC



HEDGE

ANKLE | BFP 2002 **EXECUTIVE | BFP 2003**

- Upper: Cow Leather
- Lining: Mesh
- Outsole: PU
- Inner Sole: Mesh+EVA
- Toe Cap: Steel
- Mid Plate: Steel
- Confines to EN ISO:
EN ISO 20344: 2011 & EN ISO 20345:2011
- Standard: SBP

Sizes Available: 38 - 48

Colours Available: ■ Black

Packing: 10 PRS / Carton

Origin: PRC

**STELLAR**

ANKLE | BFP 2025
EXECUTIVE | BFP 2026

- Upper: Black PU Leather
- Lining: Grey Mesh
- Outsole: Black PU Injection
- Inner Sole: Black Eva
- Toe Cap: Iron Toe
- Mid Plate: Iron Plate
- Confines to EN ISO:
EN ISO 20344: 2011 & EN ISO 20345:2011
- Standard: SBP

Sizes Available: 39 - 46

Colours Available: ■ Black

Packing: 10 PRS / Carton

Origin: PRC

BROBILLE | BSW 6300

- Upper: Micro Fiber
- Lining: Mesh
- Outsole: Rubber
- Inner Sole: Hi-Poly
- Toe Cap: Composite
- Mid Plate: Kevlar
- Confines to EN ISO:
EN ISO 20345:2011
- Standard: S1P

Sizes Available: 40 - 45

Colours Available: ■ Brown

Packing: 10 PRS / Carton

Origin: PRC

**SPENZOR | BSW 6311**

- Upper: Flyknit with PU
- Lining: Mesh
- Outsole: EVA
- Inner Sole: Hi-Poly
- Toe Cap: Composite
- Mid Plate: Kevlar
- Confines to EN ISO:
EN ISO 20345:2011 & ASTM F2413-11
- Standard: S1P

Sizes Available: 40 - 45

Colours Available: ■ Black

Packing: 10 PRS / Carton

Origin: PRC

**BFP 2036**

- Upper: Flyknit with TPU
- Lining: Mesh
- Outsole: PU
- Inner Sole: Hi-Poly
- Toe Cap: Composite
- Mid Plate: Kevlar
- Confines to EN ISO:
EN ISO 20345:2011
- Standard: S1P

Sizes Available: 40 - 45

Colours Available: ■ Grey

Packing: 10 PRS / Carton

Origin: PRC

**BFP 2041**

- Upper: Micro fibre / Mesh
- Lining: Mesh
- Outsole: EVA Cemented
- Inner Sole: Hi-Poly
- Toe Cap: Composite
- Mid Plate: Kevlar
- Confines to EN ISO:
EN ISO 20345:2022
- Standard: S1P

Sizes Available: 39 - 46

Colours Available: ■ Grey

Packing: 10 PRS / Carton

Origin: PRC



BFP 2042

- Upper: Micro fibre / Mesh
- Lining: Mesh
- Outsole: EVA Cemented
- Inner Sole: Hi-Poly
- Toe Cap: Composite
- Mid Plate: Kevlar
- Confines to EN ISO: EN ISO 20345:2022
- Standard: S1P

Sizes Available: 39 - 46

Colours Available: ■ Black

Packing: 10 PRS / Carton

Origin: PRC



BSW 0510

- Upper: Flyknit with PU
- Lining: Mesh
- Outsole: EVA+Rubber
- Inner Sole: Hi-Poly
- Toe Cap: Composite
- Mid Plate: Kevlar
- Confines to EN ISO: EN ISO 20345:2011
- Standard: S1P

Sizes Available: 40 - 45

Colours Available: ■ Black

Packing: 10 PRS / Carton

Origin: PRC



BFP 2038

- Upper: Waterproof Micro Fibre with Cow Split Suede 3D
- Lining: Mesh
- Outsole: PU Sole
- Inner Sole: EVA
- Toe Cap: Composite
- Mid Plate: Kevlar
- Confines to EN ISO: EN ISO 20345:2011
- Standard: S3

Sizes Available: 40 - 45

Colours Available: ■ Black

Packing: 10 PRS / Carton

Origin: PRC



DUBEX | BFP 2030

- Upper: Split Leather
- Lining: 3D Mesh
- Outsole: Double Density PU Sole
- Inner Sole: Hi-Poly
- Toe Cap: Composite
- Mid Plate: Kevlar
- Confines to EN ISO: EN ISO 20345:2011 & ASTM F2413-11
- Standard: S3

Sizes Available: 40 - 45

Colours Available: ■ Black

Packing: 10 PRS / Carton

Origin: PRC



BFP 2035

- Upper: Split Leather
- Lining: Mesh
- Outsole: Double Density PU Sole
- Inner Sole: EVA
- Toe Cap: Composite
- Mid Plate: Kevlar
- Confines to EN ISO: EN ISO 20345:2011
- Standard: S3

Sizes Available: 40 - 45

Colours Available: ■ Black

Packing: 10 PRS / Carton

Origin: PRC



VANGUARD | BFP 2028

- Upper: 100% Genuine Suede Leather
- Lining: Cambrelle
- Outsole: PU Mono Density
- Inner Sole: EVA
- Toe Cap: Composite Toe 200J
- Mid Plate: Steel Plate
- Confines to EN ISO: EN ISO 20345:2011
- Standard: S1P

Sizes Available: 40 - 46

Colours Available: ■ Brown

Packing: 10 PRS / Carton

Origin: India

**STABLER**

ANKLE | BFP 2024
EXECUTIVE | BFP 2037

- Upper: Cow Split Leather
- Lining: Mesh
- Outsole: Single Density PU
- Inner Sole: Mesh+EVA
- Toe Cap: Steel
- Mid Plate: Steel Plate
- Confines to EN ISO: EN ISO 20345:2011
- Standard: S3

Sizes Available: 39 - 46

Colours Available: ■ Black

Packing: 10 PRS / Carton

Origin: PRC

SOLACE | BFP 2027

- Upper: PU Nubuck
- Lining: Mesh
- Outsole: PU
- Inner Sole: EVA
- Toe Cap: European Standard Composite Toe
- Mid Plate: Kevlar
- Confines to EN ISO: EN ISO 20344: 2011 & EN ISO 20345:2011
- Standard: SBP

Sizes Available: 35 - 39

Colours Available: ■ Black

Packing: 10 PRS / Carton

Origin: PRC

**BFP 2040**

- Upper: Micro Fibre / Mesh
- Lining: Mesh
- Outsole: PU
- Inner Sole: Hi-Poly
- Toe Cap: Composite
- Mid Plate: Kevlar
- Confines to EN ISO: EN ISO 20345:2011
- Standard: S1P

Sizes Available: 38 - 46

Colours Available: ■ Black

Packing: 10 PRS / Carton

Origin: PRC

**GUMBOOT | BFP 2900**

- Material: PVC
- Weight: 1.50 KG / Pair
- Without steel plate & Toe cap

Sizes Available: 40-45

Colours Available: ■ Black

Packing: 10 PRS / Carton

Origin: PRC

**DISPOSABLE SHOE COVER | BDSC 2850**

- Material: PP
- GSM: 30
- Tear resistant & durable
- Elastic Around the Ankles
- Good Extensibility
- Protects Carpets and Floors etc From Dust & Dirt

Colours Available: ■ Blue

Packing: 2000 PCS / Carton

Origin: PRC



SAFETY GLOVES



***HANDLE
YOURSELF
WITH CARE***





SAFETY GLOVES

HAND PROTECTION



DOUBLE PALM LEATHER GLOVES | BFG 110

- Blue leather reinforced palm
- Strip Cotton back
- Rubberised Cuff
- Half lining

Size Available: 10.5"

Color Available: ■ Grey & Blue

Origin: Pakistan



SINGLE PALM LEATHER GLOVES | BFG 112

- Split leather with cuff
- Red twill cotton back
- Rubberised safety cuff
- Standard inside lining

Size Available: 10.5"

Color Available: ■ Grey & Red

Origin: Pakistan



SPLIT LEATHER WORKING GLOVES

JOINT PALM | BFG 113
PATCH PALM | BFG 111

- Yellow drill fabric on the back
- Split leather with cuff
- Heavy duty with grade A
- Standard Inside lining

Size Available: 10.5"

Color Available: ■ Yellow

Origin: Pakistan



DOUBLE SIDE BLUE DOTTED GLOVES | BDG 2500

- PVC dot cotton gloves
- Dot and palm
- Dyed Knitting cuff

Size Available: 10.5 inch

Colours Available: ■ Blue

Origin: PRC/ Pakistan

SITE SAFETY



COTTON KNITTED GLOVES

400 GM - BKG 2402

600 GM - BKG 2400

800 GM - BKG 2403

- Made of natural poly cotton yarn
- Standard protection
- Comfortable and easy to wear

Size Available: 10.5 inch

Colours Available: ☐ White

Origin: PRC



HEAVY DUTY LEATHER WELDING GLOVES | BWG 1500

- Protection from rough objects, sparks and heat
- Comfort, durability, dexterity, mild heat resistance

Size Available: 16 inch

Colours Available: ■ Red ■ Green

Origin: Pakistan



TIG WELDING GLOVES | BWG 1502

- Material: Soft feel top grain leather
- Split leather cuff protects hand from heat and puncturing
- Greater feel and dexterity
- Thumb strap reinforcement for added strength

Size Available: 14 inch

Colours Available: ☐ White

Origin: Pakistan



SINGLE SIDE BLUE DOTTED GLOVES | BDG 2510

- PVC dot cotton gloves
- Single side PVC dot on palm
- Dyed knitting cuff

Size Available: 10.5 inch

Colours Available: ■ Blue

Origin: Pakistan



WELDING APRON | BWA 1700

- Material: Split Leather
- Protects Body From Upper Chest To Knee Against Sparks And Splatters
- An Adjustable Elastic Waist & Neck strap
- Confines to EN ISO 11611:2015
- Class 2/A 1+A2

Size Available: 24x36 Inch

Colours Available: ■ Grey

Origin: Pakistan



LATEX GLOVES | BLTG 1451

- 10G High Grade Polyester Shell
- Latex Coated, Crinkle Finish
- Flexible & offering great dexterity
- Crinkle Palm with good grip and anti-slip
- Ideal when working for extended periods, prevent hand fatigue. Ideal for construction, industry, hardware tools, Automobile Workshop
- Standard: EN 388 3142

Packaging: 10 Dozen Per Carton

Colours Available: ■ Yellow & Orange, ■ Yellow & Blue

Origin: PRC



LATEX COATED GLOVES | BLTG 1452

- 10G T/C Shell
- Latex Coated
- Crinkle Finish
- Flexible & offering great dexterity
- Crinkle Palm with good grip and anti-slip
- Ideal when working for extended periods, prevent hand fatigue. Ideal for construction, industry, hardware tools, Automobile Workshop
- Standard: EN 388 3142

Packaging: 10 Dozen Per Carton

Colour Available: ■ Grey & Black

Origin: PRC



LATEX COATED GLOVES | BLTG 1453

- 13G Polyester Shell
- Latex Coated
- Crinkle Finish
- Flexible & offering great dexterity
- Crinkle Palm with good grip and anti-slip
- Ideal when working for extended periods, prevent hand fatigue. Ideal for construction, industry, hardware tools, Automobile Workshop
- Standard: EN 388 3131

Packaging: 10 Dozen Per Carton

Colour Available: ■ Red & Black

Origin: PRC



PU COATED GLOVES | BPUG 1456

- 13G White Polyester Shell
- PU Coated
- Comfortable with anatomical shaped fit
- Allowing excellent freedom of movement and reduction of hand fatigue
- Ideal for precision tasks requiring dexterity & flexibility
- Antistatic. Good Grip
- Excellent elastic, micropore structure
- Ideal for precision instrument assembly maintenance
- Standard: EN 388 3131

Packaging: 20 Dozen Per Carton

Colours Available: ■ Black

Origin: PRC



NITRILE COATED GLOVES | BNTG 1455

- Cotton Jersey Liner
- Nitrile Fully Coated
- Smooth Finish Safety Cuff
- Low temperature resistance
- Durable - Maximum abrasion resistance
- Good performance in oil/acid/alkali environment
- Ideal for construction, paint printing, auto assembly, machinery maintenance
- Standard: EN 388 4121

Packaging: 10 Dozen Per Carton

Colours Available: ☒ Blue & White

Origin: PRC



NITRILE COATED GLOVES | BNTG 1454

- 13G Polyester Shell Flat
- Nitrile Coated
- Excellent flexibility and tactile touch
- Durable - maximum abrasion resistance
- Good performance in oil/ acid/ alkali environment
- Ideal for construction, paint printing, auto assembly, machinery maintenance
- Standard: EN 388 4121

Packaging: 10 Dozen Per Carton

Colour Available: ☐ White ☒ Grey

Origin: PRC



CUT RESISTANT GLOVE | BCRG 1457

- Material: 13G HPPE Shell PU coated Anti-Cut Glove
- Abrasion Resistance (Cycles): Level 4 (≥8000)
- Blade Cut Resistance (Index): X (Refer to ISO13997 Level)
- Tear Resistance (N): Level 4 (≥75)
- Puncture Resistance (N): Level 2 (≥60)
- ISO 13997 Cut Resistance (N): Level C (>10)
- Mechanical Risk Standard: EN388(2016)

Origin: PRC



NITRILE DISPOSABLE GLOVES | BDG 7000

- Weight: 3.5 Gram
- Powder Free
- Rolled Cuff
- Ambidextrous & degradable
- Finger Texture, powder free
- Protect from wide array of chemical hazards
- Size: 9 inches

Features

- Non Medical
- 100% Nitrile, allergy free
- Durable and Easy to wear
- Excellent sensitivity
- Excellent Puncture and abrasion resistance
- Excellent Oil resistance

Packaging: 100 Pcs Per Box & 10 Boxes Per Carton

Colour Available: ☒ Blue

Origin: PRC



IMPACT RESISTANT GLOVES | BIPG 8000

- Gauge: 13 Gauge
- Liner Material: HPPE, SPANDEX, NYLON, GLASS FIBER
- Coating Material / Finish: Nitrile Sandy
- Construction of TPR: sewn with PVC rubber
- Anti Cut Level: A3

DESCRIPTION:

- 13-gauge design for heavy duty work condition.
- PVC rubber sewn on back provide impact resistance with great firmness.
- Foam sandy coating offers great grip and abrasion resistance in wet condition.
- Impact resistance passed in EN388:2016 standard test.

APPLICATION:

Construction, Mining, Transportation, Warehouse Handling

Colour Available: ☒ Black

Origin: PRC



INDUSTRIAL WORK WEAR

Personal Protective Equipment



LATEX COATED GLOVES | TLG 6600

- 10G Polyester Shell
- Latex Coated
- Crinkle Finish
- Flexible & Offering great dexterity
- Crinkle Palm with good grip and anti-slip
- Ideal when working for extended periods, prevent hand fatigue.
- Ideal for Construction, industry, hardware tool, Automobile Workshop
- Standard: EN 388 2141 X1

Packaging: 10 Dozen Per Carton

Colours Available: ■ Yellow & Blue

Origin: PRC



LATEX GLOVES | TLG 6001

- 13G Polyester Shell
- Latex Coated
- Crinkle Finish
- Flexible & Offering great dexterity
- Crinkle Palm with good grip and anti-slip
- Ideal when working for extended periods, prevent hand fatigue.
- Ideal for Construction, industry, hardware tool, Automobile Workshop
- Standard: EN 388 2131

Packaging: 10 Dozen Per Carton

Colour Available: ■ Red & Black

Origin: PRC



LATEX COATED GLOVE | TLG 6005

- 10G Polyester Shell
- Latex Coated
- Crinkle Finish
- Flexible & Offering great dexterity
- Crinkle Palm with good grip and anti-slip
- Ideal when working for extended periods, prevent hand fatigue.
- Ideal for Construction, industry, hardware tool, Automobile Workshop
- Standard: EN 388 2122 X

Packaging: 10 Dozen Per Carton

Colour Available: ■ Blue & Grey

Origin: PRC



NITRILE COATED GLOVES | TNG 6002

- 13G Polyester Shell Flat
- Nitrile Coated
- Excellent flexibility and tactile touch
- Durable - maximum abrasion resistance
- Good performance in Oil / acid / alkali environment
- Ideal for construction, paint printing, auto assembly, machinery maintenance
- Standard: EN 388 4121

Packaging: 10 Dozen Per Carton

Colours Available: ■ White & Grey

Origin: PRC



NITRILE COATED GLOVES | TNG 6004

- Cotton Jersey Liner
- Nitrile Fully Coated
- Smooth Finish Safety Cuff
- Low temperature resistance
- Durable - Maximum abrasion resistance
- Good performance in Oil / Acid / Alkali environment
- Ideal for construction, paint printing, auto assembly, machinery maintenance
- Standard: EN 388 3111X

Packaging: 10 Dozen Per Carton

Colours Available: ■ Blue & White

Origin: PRC



PU COATED GLOVES | TPUG 6003

- 13G Polyester Shell
- PU Coated
- Comfortable with anatomical shaped fit
- Allowing excellent freedom of movement and reduction of hand fatigue
- Ideal for precision tasks requiring dexterity & flexibility
- Anti static: Good Grip
- Excellent elastic, micropore structure
- Ideal for precision instrument assembly maintenance
- Standard: EN 388 2121

Packaging: 20 Dozen Per Carton

Colours Available: ■ Black

Origin: PRC



**HEAD, FACE
EAR SAFETY**



**ENSURING SHIELD
AND STRENGTH
IN YOUR JOURNEY.**





HEAD PROTECTION HELMET



SAFETY HELMET | BSH 1220

- Material: High Density Polyethylene
- Excellent hard hat
- Shell is made with a durable injection molded
- Six ventilation hole keeping head cool & comfortable
- Pin lock Adjustment system
- Light Weight
- ANSI / ISEA 289.1 - 2014
- EN 397 : 2000
- Weight: 385 grams

Colours Available:

- ☐ White ☐ Blue ☐ Yellow
☐ Green ☐ Red ☐ Orange ☐ Grey

Packing: 40 PCS / Carton

Origin: India



SAFETY HELMET | BSH 1230

- Material: ABS Shell
- Standard: GB 2811-2019
- Head hoop: HDPE
- Suspension: 4 points ratchet knob harness
- Sweatband: Soft Lint
- Impact Cushion: PU Leather
- Chin Strap: Nylon
- Size: 53-64 cm
- Weight: 465 grams
- CE EN397 2012 + A1:2012

Colours Available:

- ☐ White ☐ Blue ☐ Yellow

Packing: 40 PCS / Carton

Origin: PRC



SAFETY HELMET | TSH 1070

- Material: HDPE Shell
- Standard: Q/JYHC1-2020
- Head hoop: HDPE
- Suspension: 4 points ratchet knob harness
- Impact Cushion: HDPE
- Chin Strap: Fabric
- Size: 51-60 cm
- Weight: 185 grams

Colours Available:

- ☐ White ☐ Blue ☐ Yellow

Packing: 40 PCS / Carton

Origin: PRC



WELDING HELMET | BWH 3200

- Material: PP
- Glass size: 105 x 50 mm
- With ratchet
- Color: Black
- Weight: 0.50 kgs

Packing: 30 PCS / Carton

Origin: PRC



HELMET CHIN STRAP | BCS 0201



EYE PROTECTION SAFETY GLASSES



SAFETY GLASSES

BSG 0120

- Full Material: High-performance polycarbonate
- Having excellent impact resistance capacity
- UV400 protection
- Frameless design, light weight, comfortable to wear
- Arc lenses provide the ultimate protection and visual field
- The body is made with the frosted treatment, owning nice sense of reality.
- Conforms to EU CE EN166 standard

Colours Available:

■ Black □ Clear

Origin: PRC



BSG 0121

- Lens Material: High-performance polycarbonate
- Frame Material: High-performance polyamide
- Integrated encircling type design gives flank protection, shows elegance and decentness
- The length of temple can be adjusted in 4 different positions, temple line can be added for easier and safer use
- Resists scratch and static, absorbs over 99.9% harmful UV
- Conforms to ANSI ZB7.1 and EU CE EN166 standard

Colours Available:

■ Black □ Clear

Origin: PRC



BSG 0122

- Lens Material: High-performance polycarbonate
- Frame Material: High-performance polyamide
- Legs adjustment adopts E-mount design with 4-position flex adjusting function
- UV400 protection

Colours Available:

■ Black □ Clear

Origin: PRC



BSG 0123

- Lens Material: High-performance polycarbonate
- Frame Material: High-performance polyamide
- UV400 protection
- The design is original, fashionable, attractive and elegant
- Legs and nose cushion adopt unique soft cushion design to provide comfortable wearing

Colours Available:

■ Black □ Clear

Origin: PRC



BSG 0124

- Full Material: High-performance polycarbonate
- It has excellent impact resistance capacity
- Leisure style, elegant and decent
- Creative temple connecting frame design
- UV400 protection

Colours Available:

■ Black □ Clear

Origin: PRC



BSG 0125

- Lens Material: High-performance polycarbonate
- Frame Material: High-performance polyamide
- UV400 protection
- Novel and vogue frame style, light weight
- Lens has superior impact-resistance capacity
- Creative temple design

Colours Available:

■ Black □ Clear

Origin: PRC



BSG 0300

- Lens Material: PC
- Leg Material: PC
- Mechanical Strength: F (45 M/S)
- Optical Class: Optical Class 1
- Lens are anti-scratch
- Certification: CE EN 166 170 172 & ANSI Z87.1

Lens Colour: □ Clear ■ Black

Leg Colour: ■ Black

Packaging: 12 Pcs per Box | 10 Box per Ctn

Origin: PRC



BSG 0301

- Lens Material: PC
- Frame Material: Nylon with PC
- Leg Material: Nylon with PC
- Mechanical Strength: F (45 M/S)
- Optical Class: Optical Class 1
- Lens are anti-scratch
- Certification: CE EN 166 170 172 & ANSI Z87.1

Lens Colour: □ Clear ■ Black

Frame Colour: ■ Black

Packaging: 12 Pcs per Box | 10 Box per Ctn

Origin: PRC



EAR PROTECTION EAR PLUGS



EAR PLUGS WITH CORDS | BEP3001

EAR PLUGS CORDLESS | BEP3000

- Bullet model design, smooth and soft PU material
- Comfortable wearing and non-irritating
- Bright orange color is easy for inspection
- Available corded and uncorded
- NRR: 33dB
- Complies with CE EN352-2 standard
- Application place: Steel-making factory, Airport, Racing field, General industry

Colours Available: ■ Orange

Origin: PRC



EARMUFF | BEM 4000

- Material: ABS PU synthetic leather with sound insulation foam.
- Soft, comfortable & fitting to ear canal closely
- Good effect of noise reduction
- Noise reduction class 5 SLC (80): 29.2 db
NRR:23 db SNR: 29 db
- Headband force 10.34N, 11.7N, 101.4N.

Colours Available: ■ Red

Origin: PRC



BALACLAVA | BB0100

- 100% cotton fabric
- 100% cotton inner liner
- Anti bacterial fabric
- Free size

Colour Available: ■ Blue

Origin: India



TRAFFIC SAFETY



***A SAFE JOURNEY
TAKES YOU
A LONG WAY***





TRAFFIC CONE



TRAFFIC CONES | BTC 1600

- PE cone body, Rubber base
- Two piece construction
- Blow moulded cone body for strength & flexibility
- Reflective band for increased visibility
- Durable heavy black rubber base offers greater stability in high traffic areas
- Base: 49x49 cm
- Reflective Tape: 32 cm

Size Available: 100 cm | 75 cm | 50 cm

Weight : 4.5 Kg | 2.5 Kg | 1.5 Kg

Model Available: 7kg / Open Top 5.5 kg (100cm)

Origin: PRC



FULL PVC TRAFFIC CONE | BTC 1603

- Injected flexible PVC material
- Bright fluorescent orange colour provides better visibility at work sites or hazard area UV stabilized to increase durability
- Reflective collar increase the alarming effect
- Reflective Tape: 15&10 cm

Size Available: 90 cm | 70 cm | 45 cm

Weight : 4.5 kg | 1.8 kg | 1.05 kg

Origin: PRC



TRAFFIC BOLLARD



PLASTIC FLEXIBLE BOLLARD

- Material: PE body and Rubber base
- Removable two piece design with reflective band
- Elastic joint ensures bollard returns to an upright position
- Moulded chain accepts a range of ropes or chain

Origin: PRC

80 CM | BPFB 1625

- Height: 80 cm
- Gross Weight: 2.6 Kg
- Base Dia: 26 cm
- Reflective Tape: 30 cm

120 CM | BPFB 1626

- Height: 120 cm
- Gross Weight: 2.9 Kg
- Base Dia: 26 cm
- Reflective Tape: 30 cm



T-TOP BOLLARD | BTTB 1627

- Material: PE body and PVC Base
- Removable two piece design with reflective band
- Elastic joint ensures bollard returns to upright position
- Moulded chain accepts a range of ropes or chain
- Height: 115 cm
- Gross Weight: 6.8 kg
- Base Dia: 40x40 cm
- Reflective Tape: 24.50 cm

Origin: PRC



TRAFFIC POST | BTP 1615

- PE Material
- High flexibility & durability
- Reflective bands for greater visibility at night
- Height: 75 cm
- Weight: 630 gram
- Base Dia: 20 cm
- Reflective Tape: 75 mm x 3 pcs

Origin: PRC



TRAFFIC DRUM | BTD 1610

- Material : PE body, Rubber base
- Drum designed to inhibit Roll after impact to eliminate further hazards or potential damage
- Large top handle makes the director easy to move
- Height : 90 cm
- Base Diameter : 57 cm
- Weight : 7.50 kg
- Reflective Tape Size: 13 cm

Origin: PRC



RETRACTABLE CONE | BTC 1604

- Height: 60 cm
- Upper Material: Waterproof Fluorescent Fabric
- Base Material: PP
- Base Size: 30.5 x 30.50 cm
- 10.5 cm reflective tape
- 1 pc in an inner box
- 10 pcs per carton

Origin: PRC



TRAFFIC FENCE

50 MTR | BSM 1701

Gross Weight: 3 Kg

25 MTR | BSM 1700

Gross Weight: 1.75 Kg

- UV stabilized, High strength,
- PE raw material with UV added
- High visibility, High Strength, Anti-corrosion
- Softness and portability

Size Available: 1m x 25m, 1m x 50m

Mesh Size: 110mmx40mm

Origin: PRC



QUEUE STAND | BQS 1808

- Material: 201 Stainless steel
- 2 meter barrier belt
- Height: 93 cm
- Base Diameter: 32 cm
- Gross weight: 6 kg

Origin: PRC



FOLDING BARRICADE | BFB 1809

- Material: PE
- Height: 96 CM
- Length: Open: 250 CM / Close: 25 CM
- Width Size: 34 CM
- Weight: 2.3 KG
- Color: Yellow & Black

Origin: PRC



SOLAR TRAFFIC LIGHT | BBFL 2101

- Material: PS Lens and PP Base
- 7 inch standard lens with advanced optics for increased visibility
- LED lights with reflective dot for maximum visibility
- Solar power
- Can fix on any traffic cone
- Height 41 cm
- Also available with Additional Metal Clamp

Colours Available: ■ Amber ■ Red

Origin: PRC



BARRICADE FLASHER LIGHT | BBFL 2103

- Working: Solar Panel
- PS lens (AMBER) & PP Base (ORANGE)
- 2 PC LED
- 100+ hours flash in full charge
- 10 hours steady in full charge
- Flash 70±5 times
- 1.2 V 1500 mah battery (solar storage)

Colours Available: ■ Amber

Origin: PRC



TRAFFIC LIGHT SOLAR REGULAR | BBFL2104

- Material: PS Lens and PP Base
- 5 Inches Standard Lens with Advanced Optics
- Equipped with Metal Clamp
- Charges Automatically in Low Sunlight

Colours Available: ■ Amber ■ Red

Origin: PRC



SOLAR LED STROBE LIGHTS | BTLS 2107

- Material: PVC Lens and ABS Base
- With 4 high density LED
- The retractile lens allows them to see 360°
- Built-in high quality solar panel on top charges the NiMH battery even charges on cloudy days
- Auto On/Off, one-inch reflective strip for added visibility

Colours Available: ■ Amber ■ Red

Origin: PRC



FLASHING LIGHT 12V | BFL 2701

- Working: Solar Panel
- Light Cover Dia: 100mm
- Base Dia: 123mm, Height: 105mm
- Light Balls inside: 6pcs
- 1PC 3.7V lithium battery included in light

Colour Available: ■ Yellow

Origin: PRC



TRAFFIC BATTON LIGHT

Red & Green | BTB 2125

Red | BTB 2126

Green | BTB 2127

- Material: PVC Lens and ABS Base
- Standard size
- Portable & lightweight
- Blinking light
- Work with "D" size battery 2 piece
- One Button for all below functions:
- Press button to switch power On/Off
- Press button again to turn to steady glow in red color
- Press button again to steady glow in green color
- Press button again to turn power off

Colours Available:

■ Red & Green ■ Green ■ Red

Origin: PRC



TRAFFIC CONE BAR

RED & WHITE | BCB 1605

YELLOW & BLACK | BCB 1606

- White PVC pipe and white PE rings, with 6pcs. 12.4cm Red color reflective tape
- Black PVC pipe and black PE rings with 6 PCS 12.4cm Yellow color reflective tape.
- The outer pipe dia is 4cm, the inner pipe dia is 3.5cm, the ring hole dia is 8cm
- Length from 1.30-2.13m
- Weight is about 620g

Colours Available:

■ Red & White ■ Yellow & Black

Origin: PRC



CONVEX MIRROR | BCM 1710

- Mirror material: lightweight, flexible polycarbonate
- Frame Material: Polyethylene
- Allowing a clear wide angle view in tough angle spots and around corners
- Great useful for Shops, Warehouses, Parking Lots, Offices

Colour Available:

Orange frame & Silver mirror

Size Available:

45 CM - BCM 1710, 60 CM - BCM 1711, 80 CM - BCM 1712, 100 CM - BCM 1713

Origin: PRC



FLOOR SIGN | BFS 2330

- Highlight the Potential Accident Spot
- High Visibility
- Height: 62cm, Width: 26cm, Weight: 750g
- Compliance with CE EN 175 Standard

Colour Available: ■ Yellow

Origin: PRC

BARRIER TAPE

PLASTIC CHAIN



WARNING TAPE

200 YARD | BWT 2300

500 YARD | BWT 2301

100 YARD | BWT 2302

- No adhesive
- High visibility
- Material: PE

Colours Available:

■ Red & White

■ Yellow & Black

Origin: PRC



6MM | BPCR 2600

8MM | BPCR 2601

- Material: PE
- High Quality Plastic
- Durable & Attractive
- Protect & Guide Walkers
- Prohibit Entrance
- Length: 20M/10M Reel

Colours Available:

■ Red & White

Origin: PRC



SPEED HUMP AND END CAP

SPEED HUMP | BSH 2325
END CAP | BSH 2326

- Material: Rubber
- Removable, re-locatable. It is flexible allowing conformity to the contour of any road surface.
- Resistant to UV light, moisture, oil and extreme temperature variations
- Effective speed reduction in parking lots, school zones, public & private areas

Sizes Available:

Speed Hump 100 x 35 x 5cm

End Cap 17 x 35 x 5cm

Colours Available: ■ Yellow & Black

Available Types:

- Single cable speed hump,
- Double cable speed hump

Origin: PRC



SPEED HUMP 50 CM AND END CAP

SPEED HUMP | BSH 2330
END CAP | BSH 2331

- Material: Rubber with Cat Eye
- Removable, re-locatable. It is flexible allowing conformity to the contour of any road surface.
- Resistant to UV light, moisture, oil and extreme temperature variations
- Effective speed reduction in parking lots, school zones, public & private areas

Sizes Available:

Speed Hump 500 x 350 x 50mm

End Cap 170 x 350 x 50cm

Colours Available: ■ Yellow & Black

Weight

Speed Hump 14 Kg / Meter

End Cap 1.60 Kg / pcs

Origin: PRC



CABLE PROTECTOR | BCP 2950

- Material: Rubber and Cover: EVA
- 2 pcs of Cabling Channels
- Size: 100 x 24.5 x 4.5 cm
- Channel Size: (W)2.5 x (H)3.0 cm
- Weight: 7 kg

Colours Available: ■ Yellow & Black

Origin: PRC



CABLE PROTECTOR 1 CHANNEL | BCP 2951

- Material: Rubber and Cover: PVC
- Cabling Channels
- Size: 985 x 250 x 65 mm
- Channel Size: (W)70 x (H)50 mm
- Weight: 6.30 Kg

Colours Available: ■ Yellow & Black

Origin: PRC



RUBBER CORNER GUARD | BCG 1561

- Material: Rubber
- Height : 80 cm
- Thickness: 8 mm
- Weight: 1.2 Kg
- 4 pcs Yellow Reflective tapes

Colours Available: ■ Yellow & Black

Origin: PRC

TRAFFIC SAFETY



SAFETY VEST



***SAFETY
AT ITS BEST,
COMES WITH
OUR VEST
»»»»»***



SAFETY VEST | BSVF 1980

- Material: 100% polyester knit
- Weight: 120 GSM
- 5cm high light reflective tape for more visibility
- Two lower patch pockets
- Phone and pen holder upper pocket
- ID card pocket
- Zipper closure
- D-ring on front side for keys or ID cards
- Multi-colour

Size Available: S to 4XL

Colours Available: ■ Yellow & Navy Blue

Origin: PRC



SAFETY VEST PREMIUM | BSVF 2000

- 100% Polyester fabric material
- High visibility vest with 2" reflective tape (double band)
- 120 GSM
- 3 pockets
- Zipper closure and D ring on the front side

Size Available: M - 4XL

Colours Available: ■ Fluo-Orange ■ Fluo-Green

Origin: PRC



SAFETY JACKET | BSVF 1925

- 100% Polyester Fabric
- 120 GSM
- 5 cm normal light reflective tape
- Zipper Closure
- 4 Pockets

Size Available: M - 4XL

Colour Available: ■ Fluorescent-Green

Origin: PRC



SAFETY JACKET | BSVF 1930

- 100% Polyester Knit Fabric
- 120 GSM
- 5 cm normal light reflective tape
- Velcro Closure

Size Available: S - 5XL

Colour Available: ■ Green ■ Fluorescent-Green

Origin: PRC

SAFETY VEST



SAFETY VEST FABRIC TYPE | BSVF 1800

- 100% Polyester fabric material
- 100 GSM
- High visibility vest with 2" Reflective Tapes (double band)
- EN 471
- Size available: S to 5XL

Colours Available: ■ Fluo-Orange ■ Fluo-Green

Origin: PRC



SAFETY VEST | BSVF 1975

- Material: 100% polyester knitted front & Back mesh
- Weight: 120 GSM
- 5 cm reflective tape with orange color border
- Zipper closure
- Upper with pen pockets, patch pocket
- Lower with 2 patch pockets with flap cover

Size Available: M to 3XL

Colours Available: ■ Fluo-Green

Origin: PRC



SAFETY VEST MESH TYPE | BSVM 1900

- 100% Polyester mesh material
- 60 GSM
- Net Type
- Nylon fabric with 1 inch reflecting tape with velcro closes
- Size available: Free

Colours Available: ■ Fluo-Orange ■ Fluo-Green

Origin: PRC



SAFETY JACKET | BSVM 1920

- 100% Polyester Mesh
- 120 GSM
- 2 inch normal light reflective tape
- Zipper Closure

Size Available: S to 5XL

Colours Available: ■ Fluo-Green

Origin: PRC



FR WINTER JACKET | BWJ 3505

Material Compositons

- Outer: 100% Cotton Flame Retardant Fabric
- Fine Cotton Flat Finish
- 200-210-GSM / 6.0-Onz

Style / Specification:

- Winter Jackets have 5-External Pockets
- 2-Chest with Flap Cover Velcro closure
- 2-Front Down Pockets Flap Velcro Closure with contras Black Bags Pockets
- 1-Chest Pocket Vislon Zipper Left side
- Long Sleeves with cuff Elastic Rib Closure
- Both Sleeves with adjustable 2 snap button closure
- Lining:- 150-Grams Polyester Wadding 3-layers
- Removable Lining with plastic vislon zipper Cap
- Cap / Hood
- Detachable Cap / Hood with zipper vislon
- Adjustable Black Cord
- Reflective Tape One Inches front chest & Back
- Reflective Tape Piping on Sleeves & Back side
- Fine Quality Stitching thread using
- All Stress Points fully Reinforced / Bartered
- Conforms to EN ISO 11611 : 2015
- Conforms to EN ISO 11612 : 2015

• **EN 13688 : 2013**

• **EN 20471: 2013**

Colours Available: ■ Red

Size Available: M – 3XL

Origin: Pakistan



WINTER JACKET | BWJ 3501

Material Compositons

- Shell: 100% polyester 50D, 300T
- Lining: 100% polyester taffeta
- Padding: 100% polyester

Style / Specification:

- 2 External pockets on front side with plastic zipper closure
- Plastic zipper on front side
- Long sleeves with cuff and elastic binding
- Elastic binding provides comfort fit
- Neck hanger inside
- Comfortable hood
- Fine quality stitching thread used
- All stress points are reinforced

Weight:

- 200 GSM for body
- 160 GSM for sleeves and hood

Carton Size:

- 57*38*35 cm (M-L)
- 66*40*35 cm (XL-3XL)

Colours Available: ■ Navy Blue / Green

Size Available: M – 3XL

Origin: PRC



FALL PROTECTION



**TO THE HEIGHTS
OF SUCCESS,
WITHOUT FEAR**





HARNESS



FULL BODY HARNESS BFH0400

- Fabric: water and oil repellent cotton
- Webbing: 45mm polyester
- Metal parts: Chrome plated steel, surface thickness, min 5mm.
- Meet: EN 361: 2002 & EN 358:1999
- Loading capacity: 100 kg

Colour Available:

■ Blue & Red

Origin: PRC



FULL BODY HARNESS BFH0405

- Webbing: 100% polyester
- Webbing strength: 27KN (6000 LBS)
- Forging D ring on back and buckles on the chest for user's convenience
- One Dorsal attachment points to match any foreseeable fall arrest working condition.
- Meet: EN361:2002
- Loading capacity: 100 kg

Colour Available:

■ Blue & Green

Origin: PRC



FULL BODY HARNESS BFH0401

- Webbing strength: 27KN (5800LBS)
- One forging D ring on the back and one sets buckles on the chest for user's convenience
- Light and easy to wear, include buckles for strap adjustment to the user's comfort
- Webbing material: 100% polyester
- Meet: EN361:2002

Colour Available:

■ Red & Black

Origin: PRC



RETRACTABLE FALL ARRESTER BRFA 0800

- Material: Cable 6 mm Steel
- Length: 10 Meter
- Weight: 6.10 Kgs
- Breaking Force: 4 kN
- Standard: CE 2834 EN360-2002
- Package: 2 pcs / Carton
- Carton Size: 54 x 34 x 39 cm

Origin: PRC



DOUBLE HOOK LANYARD WITH ENERGY ABSORBER BEA0500

- Nylon connector with shock absorber
- Material: 100% polyester
- Made of 44 mm width webbing
- Length: 1.8 M
- Meet: EN 355:2002

Colour Available:

■ Red

Origin: PRC



DOUBLE HOOK LANYARD WITH ENERGY ABSORBER BEA0505

- Material: 100% polyester
- One Carabiner connector with shock absorber
- Two scaffolding hooks on both twin legs
- Made of 44 mm width webbing
- Length: 1.8 M
- Meet: EN355:2002 & CNB/P/11.063:2014

Colour Available:

■ Yellow

Origin: PRC



LANYARD WITH SINGLE HOOK BEA0501

- Nylon connector
- Material: 100% polyester
- Diameter: 12mm
- Length: 1.2m
- Meet: EN354:2010

Colour Available:

□ White

Origin: PRC



FIRE SAFETY



**LET ONLY
THE FIRE
INSIDE YOU
BURN**





100% COTTON

- 100% Cotton Flame Retardant fabric
- 210-220 GSM
- Mercerized & Sanforized
- All seams are triple stitched
- Generous fit for layering
- Unbeatable protection for foundries, flame cutting, welding and electric utilities.
- Permanently treated to guarantee flame resistance for the life of garments.
- Metal Zipper

FIREXE COVERALL

FIREXE WORKSUIT



FIREXE COVERALL | BFRC 0950

Features:

- 2 Chest pockets with flap cover & stud button closure
- 1 Pen pocket on the left sleeve
- 2 side cross pockets
- 2 back hip pockets
- Elasticized waist round belt
- Metal zipper
- Conforms to EN ISO 11611:2015
- Conforms to EN ISO 11612:2015

Colours Available:

- Royal Blue ■ Orange
- Red ■ Beige ■ Dark Blue
- EN Royal Blue

Size Available: S – 6XL

Origin: Pakistan

FIREXE WORK SUIT | BFRS 0951

Features:

Shirt:

- 2 Chest pockets with flap cover & stud button closure
- Long sleeves, stud button closure
- 1 pen pocket on the left sleeve

Pant:

- 2 side cross pockets
- 1 back hip pocket
- 1 tool pocket on the right leg.
- Conforms to EN ISO 11611:2015
- Conforms to EN ISO 11612:2015

Colours Available:

- EN Royal Blue

Size Available: S – 5XL

Origin: Pakistan



FIRE BLANKET

FIRE BLANKET | BFB2500

- Glass Fiber Material
- Resistant up to 550°C
- Available in hard boxes & soft bag pack

Size Available:

120 cm X 120 cm
120 cm X 180 cm
180 cm X 180 cm

Colour Available: ☐ White

Origin: PRC



FIRE BLANKET ROLL

FIRE BLANKET ROLL

BFB 2501

- 1m X 25m (0.5mm thick)

BFB 2502

- 1m X 50m (0.5mm thick)

BFB 2503

- 1m X 25m (1mm thick)

BFB 2504

- 1m X 50m (1mm thick)

Colour Available: ☐ White

Origin: PRC

Fire Blanket specification and technical details:

Filament diameter (uM)	9
Linear density (TEX)	1200± 100
Linear un-uniformity rate (%)	≤7
Loss of ignition (%)	<1.5
Moisture content (%)	<0.5
Breaking strength (N)	≥400
Temperature resistance (°C)	≥350, ≤550
Thermal conductivity coefficient (Kcal/m.h. °C)	<0.035
Kgs/sq.mtr (Kgs/m2)	0.43
Material	Fiber Glass



INHERENT FR COVERALL

FIREWING COVERALL | BSW0360

Fabric Specification:

Fabric: 55% Modacrylic + 43% Cotton + 2% Antistatic

Thickness: 180 GSM/5.3 OZ

Properties: Inherent Flame Resistant

Features:

Pocket

- 2 chest pockets. Left chest pocket with flapcover, a pencil slot, and snap button locked-right chest pocket with snap button lock without flapcover.
- 2 side pockets with "pass-through" to access the inner garment-locked with a snap button.
- 2 rear pockets. Right pocket with flap cover & snap button lock. Left pocket with snap button lock without flap cover.
- 1 tool pocket on the back of the right leg.
- 2+2 pen pocket in right-hand left-hand sleeves.

Reflector

- 1" EN-certified FR reflective tape
- 2 lines on arms (both sides)
- 2 lines on leg (both sides)
- Single line on shoulder (both sides).

Style

- Front Closure: Two-way heavy-duty YKK metallic zipper, storm flap & concealed metallic snap button. Adjustable cuffs with concealed snap buttons
- Female Velcro-for the name tag on LHS above the chest pocket Loop over the left pocket for carrying the monitors. Action Back allows maximum body movement.
- One-piece fabricated coverall with fully double stitched with Inherent Flame-Resistant sewing thread. Stress points are bar-tacked with Inherent Flame Resistant sewing thread.
- Color Fastness and easy care All the metal parts are concealed and the main zipper closure has an additional fabric behind the zipper. Protect to touch the body parts



Standards:

- EN ISO 11612:2015 (A1, A2, B1, C1, F1)
- EN 1149-5:2018
- EN ISO 13934.1- EN ISO 13937-2
- EN ISO 6330:2000- 2A

Colours Available:

■ Royal Blue

Size Available: S – 5XL

Origin: India



NOBURN COVERALL



NOBURN COVERALL | TFRC 2000

Features:

- 100% Cotton Flame Retardant Fabric
- 200-220 GSM
- Mercerized & Sanforized
- Two way zipper with stud button closure
- 2 chest pocket with flap cover
- 1 Pen pocket on left sleeve
- 2 side cross pocket
- 2 back hip pocket
- 2 inch Reflective tape in 6 spots
- Elasticized waist round belt
- Concealed stud fastening
- Generous fit for layering
- Unbeatable protection for foundries, flame cutting, welding and electric utilities.
- Permanently treated to guarantee flame resistance for the life of garments
- All seams are triple stitched
- All Stress points are fully bar tacked
- Metal Zipper
- EN ISO 11611:2015
- EN ISO 11612:2015



Colours Available:

■ Royal Blue

■ Red

Size Available: S – 6XL

Origin: PRC

FIRE SAFETY

**DUBAI**

T: +971 42 38 51 41
F: +971 42 38 51 54
E: salesdxb@borderppe.ae

P.O. Box 128816, Deira
Dubai, United Arab Emirates

ABU DHABI

T: +971 26 21 26 28
F: +971 26 21 23 56
E: info@borderppe.ae

P.O. Box 92791, Mussafah
Abu Dhabi, United Arab Emirates

QATAR

T: +974 66 21 24 03
E: salesqatar@borderppe.com

P.O. Box 24277,
GWC - Logistics Park-C
Birkat Al Awamir, Doha, Qatar

www.borderppe.ae