



High Protection | Best Comfort | Great Value |



CATALOGUE 2025 0
INTERNATIONAL

www.venusohs.com

Comfort & Fit

Wherever you are...

PRODUCT RANGE



**Respiratory Protective
Devices (RPD)**



**Noise Protective
Devices (NPD)**



**Eye Protective
Devices (EPD)**



**Head Protective
Devices (HPD)**



**Spill Control
Devices (SCD)**



High protection & Best comfort.

- Full foam seal for leak-proof comfortable fit
- Variety of strap types and attachments
- *Available with Carbon filter mask for nuisance level organic vapor relief.



CE 0121
EN 149:2001+A1:2009

VENUS V-230 SLV

Convex - Large filter style
Protection: Solid Dust / Oil Mist
M.U.L: Upto 30 x OEL
Full foam seal



CE 0121
EN 149:2001+A1:2009



VENUS V-2735 SLOV-V*

Convex - Large filter style
Protection: Solid Dust / Oil Mist / Nuisance level of odour
M.U.L: Upto 30 x OEL
Activated Carbon layer | Flame retardant outer layer



CE 0121
EN 140:2001+A1:2009

VENUS V-9230 SLV

Convex Mesh - Cup style
Protection: Solid Dust / Oil Mist
M.U.L: Upto 30 x OEL
Full foam seal
Net reinforced shell



NIOSH

VENUS RPD914P100-TC-84A-7887

Convex Mesh - Large filter style
Protection: Oil based particles
Net reinforced shell | Full foam seal

***Note:**
This respirator offers nuisance level relief from organic vapor / acid gas that are below OEL. Nuisance level refers to concentrations not exceeding OEL.

APPLICATION EXAMPLES

**Chemical
Automobile**

Material handling, Material processing
Painting, Powder coating, Welding,
Maintenance work

**Battery
Pharmaceuticals
Ceramics**

Lead handling
Bulk drugs, Material handling
Material mixing

**Metal Fabrication
Agriculture
Engineering**

Soldering, Welding, Metal pouring, Smelting
Pesticides, Insecticide spraying
Welding, Sand blasting, Buffing, Powder coating
Painting, Cutting
Maintenance

**Effluent Treatment
Plant**

Ordering Information

Item #	Description	Colour	Elastic	Packing
150265701	Venus V-230 SLV Class: FFP3 NR D - <i>Valved.</i>	WHITE	WELDED	5 Pcs/pack
150265601	Venus V-2735 SLOV-V Class: FFP3 NR D - <i>Valved.</i>	GREY	WELDED	5 Pcs/pack
150905401	Venus V-9230 SLV Class: FFP3 NR D - <i>Valved.</i>	WHITE	SEWN	10 Pcs/pack
150265001	Venus V-2930 SLV Class: FFP3 NR D - <i>Valved.</i>	WHITE	WELDED	5 Pcs/pack
150264701	Venus RPD914P100 Class: P100 - <i>Valved.</i>	WHITE	WELDED	5 Pcs/pack



Always follow the appropriate user and donning instructions for the specific model.

FITTING INSTRUCTION TO BE FOLLOWED EACH TIME RESPIRATOR IN USE

Before use check for visible damage, Damaged or dirty (on breathing side) particle filtering half mask should not be used.

- Cup the mask in hand
- With nose clip up, cover mouth & nose with mask
- Position elastic straps to back of head & neck
- Tighten the head and neck straps as necessary
- Press adjustable nose clip to prevent leakage
- To check fit, place both hands completely over the mask and inhale. if air leaks around nose, readjust the nose clip. if air leaks at the mask edges, work the straps back along th sides of your head. Repeat the procedure until respirator is sealed properly.

If you can not achieve a proper fit DO NOT enter the contaminate area. See your supervisor.

Features:



Anti Clogging (NR D)

Having passed dolomite test, it resists clogging even in high dust environments



Net Reinforced Shell

Well-integrated structure maintains the shape, disallowing collapse Suitable for rough handling



Stay cool butterfly vent valve

Provides breathing comfort and promotes easy communication Effectively removes heat build-up Transparent vent valve



Activated carbon

For absorption of nuisance level of obnoxious odour and vapour



Outer flame retardant layer

Protects from welding sparks



CE 0121
EN 149:2001+A1:2009

VENUS V-2430 SLV

Convex cup seam style
Protection: Solid Dust / Oil Mist
M.U.L: Upto 30 x OEL
Exhalation vent valve
Half foam seal



NIOSH

VENUS V-4400 SN95 - TC-84A-9378

Flat fold style
Protection: Non oil based particles
Note: Fluid resistance conforms to ASTM F1862 at 120mmHg.



NIOSH

VENUS CN95 OV - TC-84A-5632

Convex cup seam style
Protection: Non oil based particles &
Nuisance level of Odour Activated Carbon layer



CE 0121
EN 149:2001+A1:2009

Painting Series

VENUS V-414 SLOV-V*

Flat fold style
Protection: Solid Dust / Mist / Nuisance level of Organic
Vapour / Gases below > TLV | M.U.L: Upto 10 X OEL
Exhalation vent valve | Activated Carbon layer



CE 0121
EN 149:2001+A1:2009

VENUS V-1130 SLV

Beetle style
Protection: Solid Dust / Oil Mist
M.U.L: Upto 30 x OEL
Exhalation vent valve



CE 0121
EN 149:2001+A1:2009

Welding Series

VENUS V-425 SLOV-V

Flat fold style
Protection: Solid Dust / Mist / Nuisance level of Organic
Vapour / Gases below > TLV | M.U.L: Upto 10 X OEL
Exhalation vent valve
Activated Carbon & Flame retardant outer layer

***Note:**
This respirator offers nuisance level relief from organic vapor / acid gas that are below OEL. Nuisance level refers to concentrations not exceeding OEL.



VENUS RPD814P95 - TC-84A-7885

Convex double shell style

Protection: Non oil based particles

Flame retardant outer layer

Full foam seal

Ordering Information

Item #	Description	Colour	Elastic	Packing
150405001	Venus V-4400 SN95 Class: Surgical N95 - <i>Unvalved.</i>	WHITE	WELDED	25 Pcs/pack
150405701	Venus V-1130 SLV Class: FFP3 NR D - <i>Valved.</i>	WHITE	SEWN	10 Pcs/pack
150272701	Venus V-2430 SLV Class: FFP3 NR D - <i>Valved.</i>	WHITE	SEWN	10 Pcs/pack
150265501	Venus CN95OV Class: N95 - <i>Unvalved.</i>	GREY	SEWN	15 Pcs/pack
150408401	Venus V-414 SLOV-V* Class: FFP2 NR D - <i>Valved.</i>	GREEN	SEWN	15 Pcs/pack
150408201	Venus V-425 SLOV-V Class: FFP2 NR D - <i>Valved.</i>	GREY	SEWN	15 Pcs/pack
150264201	Venus RPD814P95 Class: P95 - <i>Valved.</i>	WHITE	WELDED	10 Pcs/pack
150905301	Venus V-9220 SLV Class: FFP2 NR D - <i>Valved.</i>	WHITE	SEWN	10 Pcs/pack

Features:



Compatible with other PPE

Non-interference with other PPE - Eye, Hearing & Head protection



Absorbent carbon granules sandwiched Fabric layer

(RPD814P95 OA, RPD714N95 OAO, V-414 SLOV & V-425 SLOV)

For absorption of nuisance level of obnoxious odour and vapour



Stay cool butterfly vent valve

Provides breathing comfort and promotes easy communication
Effectively removes heat build-up
Transparent vent valve



Elastic Sewn outside filter area

Sewn head strap provides better pull strength



Outer flame retardant layer

Protects from welding sparks



CE 0121
EN 149 2001+A1:2009

VENUS V-4410 SL

Flat fold style

Protection: Solid Dust / Mist

M.U.L: Upto 4 x OEL



CE 0121
EN 149 2001+A1:2009

VENUS V-420 SLV

Flat fold style

Protection: Solid Dust / Oil Mist | M.U.L: Upto 10 x OEL

Inside nose clip | Exhalation vent valve



CE 0121
EN 149 2001+A1:2009

VENUS V-220 SLV

Convex cup seam style

Protection: Solid Dust / Oil Mist

M.U.L: Upto 10 x OEL

Exhalation vent valve



NIOSH

VENUS V-2400 N95+ - TC-84A-9300

Convex cup seam style

Protection: Non oil based particles



CE 0121
EN 149 2001+A1:2009

VENUS V-430 SLV

Flat fold style

Protection: Solid Dust / Oil Mist | M.U.L: Upto 30 x OEL

Inside clip & nose liner

Exhalation vent valve



NIOSH

VENUS V-4400 N95 - TC-84A-8126

Flat fold style

Protection: Non oil based particles



VENUS CN95+ - TC-84A-7516

Convex cup seam style

Protection: Non oil based particles



VENUS CVN95+ - TC-84A-7514

Convex cup seam style

Protection: Non oil based particles

Exhalation vent valve



VENUS V-4200 N95 - TC-84A-8112

Flat fold - Large filter style

Protection: Non oil based particles

Exhalation vent valve



VENUS RPD513N95 - TC-84A-7872

Convex double shell style

Protection: Non oil based particles

Nose liner

Features:



Flat fold mask

Stylish universal design
which gives better
visibility to user
Easy to pocket store
when not in use



Welded head strap

Provides leakproof and
optimum comfort



Embedded nose clip

No metal exposure
or loose parts



Stay cool butterfly vent valve

Provides breathing comfort
and promotes easy
communication
Effectively removes heat
build-up
Transparent vent valve



Superior technology micro-fine filter media

Made from special
engineered fabrics which
are extremely easy to
breathe but also provide
higher protection up to
0.3 micron

Ordering Information

Item #	Description	Colour	Elastic	Packing
150404901	Venus V-4410 SL Class: FFP1 NR D - Unvalved.	GREY	STAPLED	50 Pcs/pack
150405201	Venus V-420 SLV Class: FFP2 NR D - Valved.	WHITE	WELDED	15 Pcs/pack
150266001	Venus V-220 SLV Class: FFP2 NR D - Valved.	WHITE	SEWN	15 Pcs/pack
150263201	Venus V-2400 SN95+ Class: N95 - Unvalved.	WHITE	STAPLED	20 Pcs/pack
150408101	Venus V-430 SLV Class: FFP3 NR D - Valved.	WHITE	SEWN	15 Pcs/pack
150265401	Venus CN95+ Class: N95 - Unvalved.	WHITE	STAPLED SEWN	20 Pcs/pack
150265301	Venus CVN95+ Class: N95 - Valved.	WHITE	STAPLED SEWN	15 Pcs/pack
150407401	Venus V-4200 N95 Class: N95 - Valved.	WHITE	WELDED	15 Pcs/pack
150407501	Venus V-4400 N95 Class: N95 - Unvalved.	WHITE	WELDED	50 Pcs/pack
150264501	Venus RPD513N95 Class: N95 - Unvalved.	WHITE	WELDED	20 Pcs/pack
150257901	Venus V-2400 N95+ Class: N95 - Unvalved.	WHITE	STAPLED	20 Pcs/pack
150258001	Venus V-2400 VN95+ Class: N95 - Valved.	WHITE	STAPLED	15 Pcs/pack
150266301	Venus V-220 SL Class: FFP2 NR D - Unvalved.	WHITE	SEWN	20 Pcs/pack
150413801	Venus V-4420 SL Class: FFP2 NR D - Unvalved.	WHITE	WELDED	25 Pcs/pack



Multilingual User instructions

For easy acceptance by different wearers

Composite multilayer media

Prefilter coarse dust

- Does not clog the filter
- High dust holding capacity
- Can be used over longer period of time

Soft Inner layer


- Comfort to the wearer
- Skin friendly even when perspiring

Superior technology Micro fine filter media

- Protects from respirable suspended particulate matter
- Composite of multiple layers pre-filter, fine filter and skin comfort layer

Outer filter media

- Sheds minimum lint
- Application friendly



StayCool Butterfly Vent Valve



Effectively removes
CO₂ & heat build-up



Promotes easy
communication



Provides
breathing comfort

Reusable Half & Full Face Mask with Dual filters

CE 0121
EN 140:1998
Half Face Mask

CE 0121
EN 143
Particle Filter

CE 0121
EN 14387
Gas Filter

National Institute for
Occupational Safety and Health
NIOSH

*Available in



VENUS V-900 HFM - Silicon / TPE

Compatible with Venus V-7900 dual gas filters



Twist N Click

S

M

L

Colour



VENUS V-999-MS FFM - Silicon / TPE

Compatible with Venus V-7900 dual gas filters

M

Colour

*Available in Venus V-7900 Dual Gas filters



Venus V-7900 A1



Venus V-7900 ABEK1 P3 R



Venus V-7900 FHP P3



Venus V-7900 MGC P100



Venus V-7900 FPC P3



Venus V-7900 FPC P3 OV

Ordering Information

Item #	Description	Colour	Packing
150536801	Venus V-900 TPE - M	GREY	1 Pcs/pack
150537001	Venus V-900 Silicon - M	L. BLUE	1 Pcs/pack
110530101	Venus V-900 Silicon + V-7900 MGC P100 COMBO - TC-84A-9657	L. BLUE	1 Pair/pack
110545601	Venus V-900 Silicon + V-7900 OV P100 COMBO - TC-84A-9743	L. BLUE	1 Pair/pack
150531601	Venus V-999 TPE - M	GREY	1 Pcs/pack

Item #	Description	Packing
150723001	Venus V-7900 A1	2 Pair/box
150745701	Venus V-7900 ABEK1 P2R	2 Pair/box
150734601	Venus V-7900 ABEK1 P3R	2 Pair/box
150737101	Venus V-7900 FHP P3	2 Pair/box
150737201	Venus V-7900 FPC P3	2 Pair/box
150734501	Venus V-7900 FPC P3 OV	2 Pair/box

Features:



Drop down

Easy to put on and remove while use



Head cradle

Lock down mechanism provides optimum fit & good comfort



Stay cool butterfly vent valve

Provides breathing comfort and promotes easy communication Effectively removes heat build-up



Light weight body

Made from soft thermoplastic elastomer, skin friendly
Low maintenance
minimum hindrance in working

Reusable Respirators

(HFM/FFM) - PREMIUM, ACE & UNIVERSAL SERIES



VENUS V-7800 A1 P2 R



VENUS V-800 HFM - TPE

Compatible with Venus V-7800 dual gas filters



*Available Size:



VENUS V-7800 A2 P3 R



VENUS V-7800 P3 R Hepa



VENUS V-7800 ABEK1 Hg P3 R



VENUS V-7800 P3 R Pancake



VENUS V-7800 P3 R OV Pancake

Ordering Information

Item #	Description	Colour	Packing
150536101	Venus V-800 TPE - S	BLUE	1 Pcs/pack
150535901	Venus V-800 TPE - M	GREY	1 Pcs/pack
150536201	Venus V-800 TPE - L	GREY	1 Pcs/pack

Item #	Description	Packing
150736101	Venus V-7800 A1 P2 R	2 Pair/pack
150735101	Venus V-7800 A1 P3 R	2 Pair/pack
150735901	Venus V-7800 ABEK1 P2 R	2 Pair/pack
150734301	Venus V-7800 ABEK1 Hg P3 R	2 Pair/pack
150735301	Venus V-7800 P3 R Hepa	2 Pair/pack
150736201	Venus V-7800 P3 R Pancake	2 Pair/pack
150734801	Venus V-7800 P3 R OV Pancake	2 Pair/pack



Adjustable penta belt

Gives head support and even distribution of weight
Good skin comfort in tough conditions
Provides leakproof fit



Speech Diaphragm

For easy and audible communication



Zero power toric visor for wide vision

PC lens impact resistant for face protection
High clarity, durability and double anti-fog



Neck straps

Adjustable for better handling



Threaded cartridge

Easy to fit and replace

VENUS PAPR

A time-tested powered respiratory system.
An easily replaceable filter.

CE 1024

EN 12941:1998 + A1:2008



VENUS FreFlow V1 Intelligent Air Supply

- Auto-alarm System
- Real-time Display Indicator
- Filter Efficiency >99.97%
- Auto dark hood

Item# 110356701



VENUS FreFlow V3 Intelligent Air Supply

- Auto-alarm System
- Real-time Display Indicator
- Filter Efficiency >99.97%
- Auto dark hood

Item# 110356601

Spares for PAPR



Charger
Item # 170366501



Battery
Item # 170366401



Particle Filter
Item # 170366301

FEATURES AND BENEFITS

- **Eye/face/respiratory protection:** High quality welding helmet combined with powered air purifying respirator system, protecting welder from arc radiation, spatter, dust, pollutants, fine particles as well as other contaminants
- **Auto-alarm system:** Flashing indicator, bleeping sound together with vibrating blower to ensure safety.
- **Intelligent air supply :** Respirator will self-adjust the flow rate according to the blockage of the filter automatically.
- **Real-time display indicator :** Filter status/airflow rate/battery capacity indicator, real-time monitoring and displaying



*Auto Dark

Item # 110374401 Venus PA10 Unit with X9 Welding Hood

-Set includes Battery, Charger,
PVC Breathing Hose, Basic filters,
Hood.



*Auto Dark

Item # 110374501 Venus PA10 Unit with FS9 Welding- Grinding Hood

-Set includes Battery, Charger,
PVC Breathing Hose, Basic filters,
Hood.

Spare parts, accessories Item

Comfort belt & shoulder strap	Item # 170377001
Breathing tube	Item # 170376901
Turbo assembly	Item # 170376101
Filter cover	Item # 170376201
Spark Guard	Item # 170376501

Spare parts, accessories Item

Weld shield X9 Hood	Item # 170377101
Weld shield FS9 Hood	Item # 170377201
Filter Cover	Item # 170376301
Pre filters	Item # 170376401
Flow Indicator	Item # 170376801
Battery Charger	Item # 170376701
Battery standard	Item # 170376601

PAPR Model	AIR10 (A2) PAPR
Certifications	CE EN12941
Filter Class	TH3 PR SL
Filter Type	Particle Filter
Filter Efficiency	>99.99%
Air flow Rate	Old version: 170L/Min,210L/Min,230L/Min New version: 170L/Min,190L/Min,210L/Min
System	Automatic Detection And Control System Provides Constantly Stable Clean Air
Switch	3 Levels of Airflow Control On/Off Switch Button Control
Warning Alarms	Audio, Visual and Vibrating
Noise Level	Max.75dB
Operating Time	10h(SD)/20h(HD),at 170L/min with a new particle filter, room temperature
Li-Ion Battery	14.8V/2.6Ah/38.48Wh (SD) 14.8V/5.2Ah/76.96Wh (HD)
Charging Cycles	>500
Charging Time	2 Hours (SD) 4 Hours (HD)
Dimensions	201*183*80mm (L*H*W)
Weight	1555g(SD)/1765g(HD), incl.battery,filter,belt and breathing tube, without Hood
Operating Temp.	-5°C to+55°C,R.H.≤90%,non-condensing condition
Scope of supply	1*Blower Unit Incl.Cover, 1*Particle Filter,1*Pre-Filter, 1*Spark Guard, 1*Standard Battery,1*Universal Charger, 1*Flexible Air hose(65-130cm,Incl.Cover), 1*High-End Comfort Belt&Shoulder Straps; 1*Flowmeter,1*Operation Manual;

APPLICATION EXAMPLES

Industrial	Grinding, Surface finishing operations etc.
Dusty industrial environments	Material handling
Automotive and shipbuilding industry	Painting & welding
Cement	Bagging
Food industry	Processing



Supplied Air Respirator Unit, Hood & Spares (SA)

Supplied air line systems with wide selection of headpiece for high protection

As the name suggests, the Supplied Air Respirator Unit, supplies clean air to the wearer. The air is filtered after being supplied from a compressor. Hoods, helmets, full face pieces, half face pieces and loose-fitting face pieces can be worn to which this clean air can be supplied. The Supplied Air Respirator Unit increases comfort, productivity and protection while offering many advantages over other respiratory protective devices.

CUSTOMER END

Oil free compressed air source + Safety pressure release valve



SA-PFR 100
Item # 110353201

Air pre-filter-regulator
Metal bowl coalescing type for removal of liquid water Inlet / Outlet: Ø 12 mm



Air Purification Unit

Air Purification Panel is connected by the air hose to the rest of the apparatus.

Air Control Device

The Air Control Device ensures supply of constant amount of air into the hood. The unit allows air supply adjustment by a swivel control knob. The control knob can be locked into any position so that the set airflow will not vary.

Air Hose

Air Hose connects the Air purification Panel to the Air control device. Careful selection of the hose material is required as it could be vulnerable to the surrounding atmospheric contaminants.

Breathing Tube

This tube delivers air to the face piece. Careful selection of material of breathing tube would be important since it could be more vulnerable to the surrounding atmospheric contaminants.

Filter Regulator Conditioner

Regulator with pre-filter up to 5 micron Borosilicate fine filter up to 0.03 micron + Activated carbon odour filter with pressure gauge, manual drain and metal guard Pressure: 10 bar



STAND MOUNT UNIT

For three users

SA-FRC 100

Filter Regulator Conditioner
Item # 110368301

SA-FRCH-100

Humidifier
Item # 110350101

SA-FRCH 100

Cartridge Life Indicator Unit
Item # 110371901



WALL MOUNT UNIT

For two users



SA-FRC 100

Cartridge Life Indicator Unit
Item # 110356901



Spiral Hose

SA-SH 10 (10 Meter Length)
Item # 110353301



Airline PVC Braided Hose

SA-BH 10 (10 Meter Length)
Item # 110354001

SA-BH 20 (20 Meter Length)
Item # 110354601

SA-BH 30 (30 Meter Length)
Item # 110354401



Flow Control Valve -

Low pressure Connector CA40M

SA-FCV 100

Item # 110354101



Vortex Air Cooler Kit

SA-VAC 100

Item # 110355201

Spares

For SA-FRC 100

Borosilicate Fine
Filter - Set

Item # 170362701



Activated carbon
odour filter - Set

Item # 170362801





Now Available with Vortex valve
for reducing temperature
upto 10 degrees



Humidifire filter indicator



3 Stage Filters



Filter life indicator



Attachment to Hood & Full face mask



Headpiece

Safety Helmet CA4
for Indl-Engg.
Item # 110353101



PVC Breathing Hose with Connector SA-BT 100
with CA40F X 1/7"
Item # 170364401



PVC Breathing Hose with Connector SA-BT 100
with CA40F & CA40M
Item # 110354201

Universal Hood CA2P - Painting
Construction of material-
Tyvek, CHC Visor

Item # 110356401
Protection film for
CA2 Hood (optional)
Item # 110353401



Universal Hood CA2
Construction of material- Tyvek

Item # 110353501
Protection film for
CA2 Hood (optional)
Item # 110353401



CA2 Hood - Tychem - White

Item # 110352701



Universal Hood CA2R -
Reusable Construction
of material- PVC

EN 12941:1998
EN 14594:2005

Item # 110353001



Full Face Mask
FFM- V-777 / V-997

Item # 110534101



Full Face Mask
FFM- V-667

Item # 110531801



**Complete Airline
Set Consist : FRC-100**
Item # 110355501



Low Pressure
Conditioner

+



PVC Hose - 10 mts.

+



Flow Control Valve

+



CA40F & CA40M

+



Universal Hood CA2

**Combo with Hood
SA-FRCH-100**
Item # 110349601



Low Pressure Conditioner
with Humidifier

+



PVC Hose - 10 mts.

+



Flow Control Valve

+



CA40F & CA40M

+



Universal Hood CA2

APPLICATION EXAMPLES

Engineering

Mining
Petrochemicals
Smelting & foundry
Pesticides

Welding, Sand Blasting, Powder
coating, Buffing, Painting, Cutting

Drilling
Unventilated areas
Heat exposure & fine airborne particles
Blending, Handling, Rod mill, Powder packing

Paints

Pharmaceuticals
Ships
Waste treatment

Paint spray, Mixing

Bulk drugs, Material handling
Tank cleaning
Sewage handling,
Cleaning drains

EAR MUFFS

Quality mark for assurance of product performance

ANSI S3:19.1974



Ordering Information

Item #	Description	Colour	Packing	Item #	Description	Colour	Packing
150615501	Venus N-555	RED	20 Pcs/Ctn.	150617301	Venus N-556	BLACK	20 Pcs/Ctn.
150615601	Venus N-555	YELLOW	20 Pcs/Ctn.	150617601	Venus N-550	BLACK	15 Pcs/Ctn.
150615701	Venus N-555	GREEN	20 Pcs/Ctn.	150617501	Venus N-530	FLUORESCENT GREEN	15 Pcs/Ctn.
150617201	Venus N-555	BLACK	20 Pcs/Ctn.	150617401	Venus N-510	RED	15 Pcs/Ctn.
150615801	Venus N-555	BLUE	20 Pcs/Ctn.				
150615901	Venus N-555	VIOLET B.	20 Pcs/Ctn.				

Features:



Wide ear cushions with height adjustment
To achieve superior fit



One size fits all
No need to stock different size
Lowers inventory



Light weight
Easy to use for longer duration without hindrance



Cushioned headband
Comfort during long working hours



Compactable (Only N-555)
Can be easily compacted when not in use and store in small space

REUSABLE & DISPOSABLE EAR PLUGS

Quality mark for assurance of product performance

CE 0194
EN 352-1

ANSI S3:19.1974



VENUS N-303

NRR 27 dB | Reusable



VENUS N-101


NRR 32 dB | Disposable

Ordering Information

Item #	Description	Colour	Cord	Packing
150619001	Venus N-303	ORANGE	Zebra Textile	150 pcs/pack
150616401	Venus N-303	ORANGE	Zebra Textile - Container	100 Pcs/pack
150616301	Venus N-101	ORANGE	PVC Corded	100 Pcs/pack
150616201	Venus N-101	ORANGE	Uncorded	250 Pcs/pack
150619101	Venus N-101	ORANGE	Textile Corded	100 pcs/pack

Identify the environment

Standard Decibel levels



Features:



Washable TPE material

Easy to wash and re-use without compromising on hygiene
Environment friendly



Pharma variant with PVC cord

Easily detectable by metal detector



High Attenuation

Slow expansion to perfectly fit the ear canal size & form
Minimizes noise disturbance immediately



Soft Polyurethane foam

Ultimate comfort fit allows easy use for long duration without discomfort
wearers friendly optimum recovery



Textile cord

Reduces transmission of sound
Skin friendly

PROTECTIVE EYEWEARS

Protection for use with perception spectacles
One size fits all



VENUS E-306

Type: CHC-AF | GHC-AF
Protective Spectacle



VENUS E-305

Type: CHC-AF | GHC-AF
Protective Spectacle



VENUS E-102

Type: GHC - CHC-AF
Protective Spectacle



VENUS E-101

Type: CHC
Protective Spectacle



VENUS E-503

Type: CHC-AF
Safety Goggle



VENUS E-603

Type: CHC-AF
Over Spectacle

Features:



Head band

Textile headband for user comfort
Side hook & back adjustment available



Style

4 indirect ventilation ports for enhanced splash protection & to prevent fogging (E-503)
Over the glass compatibility
Quality mark for assured performance



Temple

Polycarbonate temples with side shield & vent
PC temple with soft tips prevents slippage (E-305)
Coloured temple allows easy identification
Wide area for side protection (E-102)



Nose bridge

One piece in integrated design, no loose parts
Clear nose bridge integrated with frame gives comfortable nose fit



Lens

Anti-Fog hard coated lens designed to be abrasion resistant & provide good visibility
Provides good impact & UV protection



Ordering Information

Item #	Description	Packing
150123301	Venus E-101 CHC Sliding Temple	10 NOS/PACK, 80 NOS/CTN
150114701	Venus E-101 GHC Sliding Temple	10 NOS/PACK, 80 NOS/CTN
150114901	Venus E-101 CHC TRD	12 NOS/PACK, 300 NOS/CTN
150128701	Venus E-102 CHC BLUE	20 NOS/PACK, 160 NOS/CTN
150129001	Venus E-102 GHC Blue	20 NOS/PACK, 160 NOS/CTN
150123501	Venus E-102 CHC-AF GREEN	12 NOS/PACK, 96 NOS/CTN
150131801	Venus E-305 CHC BLUE	20 NOS/PACK, 160 NOS/CTN
150132901	Venus E-305 GHC BLACK	20 NOS/PACK, 160 NOS/CTN
150122301	Venus E-305 CHC-AF GREEN	12 NOS/PACK, 96 NOS/CTN
150110101	Venus E-305 GHC-AF Black	12 NOS/PACK, 96 NOS/CTN
150132401	Venus E-306 CHC BLUE	20 NOS/PACK, 160 NOS/CTN
150133001	Venus E-306 GHC BLACK	20 NOS/PACK, 160 NOS/CTN
150122901	Venus E-306 CHC-AF GREEN	12 NOS/PACK, 96 NOS/CTN
150110701	Venus E-306 GHC-AF Black	12 NOS/PACK, 96 NOS/CTN
150121301	Venus E-603-CHC	10 NOS/PACK, 80 NOS/CTN
150121401	Venus E-603-CHC-AF	10 NOS/PACK, 80 NOS/CTN
150128401	Venus E-405 MIRROR COATED TRD	12 NOS/PACK, 300 NOS/CTN

Optical Radiation - Sources



Common Eye hazards?



Terms

Hard Coating for preventing scratches

It is applied to the exterior of the lens to minimize the likelihood of accidental scratching. This does not make the lens scratch proof, but helps in tremendously reducing fine hair line scratches.

Anti Fog

Prevent to condensation of moisture.

Bridge

It is the part of a frame that connects the two lenses and goes over the nose. The bridge can be either decorative or simple.

Frame

It is the part of the holds the lens. Frame can be made of plastic or memory retention nylon.

INDUSTRIAL SAFETY HELMETS

Protection against electrical hazards, Class E Hard hats rated for 20000 Volts

This product meets
ANSI/ISEA Z89.1:2014 standard.



VENUS H-2000 Series

Ventilated & Non-Ventilated - Half Brim

HELMET Shell Color	VENUS H-2000 Series Shell (ITEM CODE)	
	Ventilated	Non-Ventilated
	H-2010 Textile Ratchet	H-2010 Textile Ratchet
White	150898401	150899001
Yellow	150898501	150899101
Blue	150898601	150899201
Green	150898701	150899301
Orange	150898801	150899401
Red	150898901	150899501

ANSI	Suspension	Adjustment
Certified Type I	4-point, textile	"Fit-Lock" Ratchet

Packing : 20 Pcs/Ctn.

HELMET Shell Color	VENUS H-3000 Series Shell (ITEM CODE)	
	Non-Ventilated	
	H-3010 Textile Ratchet	
White	150800901	
Yellow	150801001	
Blue	150801101	
Green	150801201	
Orange	150801301	
Red	150801401	

ANSI	Suspension	Adjustment
Certified Type I	4-point, textile	"Fit-Lock" Ratchet

Packing : 20 Pcs/Ctn.



**HIGH HEAT
APPLICATION**

VENUS H-3000 Series (Dome)

Non-Ventilated



VENUS H-5000 Series

Ventilated & Non-Ventilated - Half Brim

HELMET Shell Color	VENUS HP-5000 Series Shell (ITEM CODE)	
	Ventilated	Non-Ventilated
	H-5010 Textile Ratchet	H-5010 Textile Ratchet
White	150877501	150875501
Yellow	150877601	150875601
Blue	150877901	150875901
Orange	150877701	150875701
Green	150877801	150875801
Red	150878101	150876101
Grey	150878001	150876001
Brown	150878301	150876201
Black	150878201	150876301
N.Blue	150878401	150876401

ANSI	Suspension	Adjustment
Certified Type I	4-point, textile	"Fit-Lock" Ratchet

Packing : 20 Pcs/Ctn.



VENUS H-7000 Series

Ventilated & Non-Ventilated - Full Brim

ANSI Suspension Adjustment

Certified Type I 4-point, textile "Fit-Lock" Ratchet

Packing : 20 Pcs/Ctn.

HELMET Shell Color	VENUS HP-7000 Series Shell (ITEM CODE)	
	Ventilated	Non-Ventilated
	H-7010 Textile Ratchet	H-7010 Textile Ratchet
White	150873701	150874701
Yellow	150872801	150873801
Blue	150872901	150873901
Orange	150873101	150874101
Green	150873001	150874001
Red	150873201	150874201
Grey	150873301	150874301
Brown	150873401	150874401
Black	150873501	150874501
N.Blue	150873601	150874601



VENUS H-8000 Series

Ventilated & Non-Ventilated - Brim less

ANSI Suspension Adjustment

Certified Type I 4-point, textile "Fit-Lock" Ratchet

Packing : 20 Pcs/Ctn.

HELMET Shell Color	VENUS HP-8000 Series Shell (ITEM CODE)	
	Ventilated	Non-Ventilated
	H-8010 Textile Ratchet	H-8010 Textile Ratchet
White	150878501	150876501
Yellow	150878601	150876601
Blue	150878901	150876901
Orange	150878701	150876701
Green	150878801	150876801
Red	150879101	150877101
Grey	150879001	150877001
Brown	150879301	150877301
Black	150879201	150877201
N.Blue	150879401	150877401



VENUS H-1500 Series

Non-Ventilated

ANSI Suspension Adjustment

Certified Type I 4-point, textile "Fit-Lock" Ratchet & Pinlock

Packing : 20 Pcs/Ctn.

HELMET Shell Color	VENUS H-1500 Series Shell (ITEM CODE)	
	Non-Ventilated	Ventilated
	H-1510 Textile Ratchet	H-1511 4 Point Textile Pinlock
White	110806901	110806801
Yellow	110808701	110809201
Blue	110808801	110809301
Green	110808901	110809401
Orange	110809001	110809501
Red	110809101	110809601

Features:



Material

Sleek, attractive & lightweight design high density polyethylene shell



Custom Logo

Large printing surfaces for great custom logo's on front & back



Electrical Hazards

Provide protection against electrical hazards up to 20000 volts (Class E Nonvent Only)



Ratchet

Comfortable exclusive "Fit-Lock" ratchet adjustment suspensions



Accessory

Accessory Slots & Chin Strap attachments

Helmet Accessories

New!



Earplug container only
Item # 170887801

New!



Pencil holder
Item # 170877501

New!



Head-lamp set
Item # 170879901

New!



Mobile Holder set
Item # 170887901



Helmet Browpad
Item # 170864401



Helmet chin strap with chin Lup
Item # 170864501



Helmet chin strap with chin Cup
Item # 170864601



Helmet 4 point suspension assembly
Item # 170864701



Helmet 6 point suspension assembly
Item # 170886901



Helmet Mounted Earmuff
Item # 110614301



Helmet Pinlock Fitting
Item # 110882401



Helmet Ratchet Fitting
Item # 180881101



Authorized Dealer

ZENITH_{PPE}
BUILDING MATERIALS TRADING L.L.C

info@zenithppe.ae

T: +971 54 739 5303

www.zenithppe.ae